

TOP SECRET

PRIORITY

1965 MAY 26 OUT55824
02 04ZP 260129Z
FM NPIC
TO YWOLAZC/AESSO ACICZEM
TOP SECRET

CITE NPIC 4619.

REF: DIA MEMO TCS 250547/65, DATED 5 MAY 1965, SUBJECT, "SPECIAL
MAPS AND RECTIFIED PHOTOGRAPHY."1. PER REF AGREEMENT AND AUTHORIZATION NPIC FORWARDS REQUEST
FOR RECTIFICATIONS OF FOLLOWING 14 AREAS ON KH-7 PHOTOGRAPHY.

MISSION	PASS	FR/INDEX	CORNER COORDINATES
4016	D 58	08/16	X55.2 - Y22.3
			X55.2 - Y4.7
			X73.0 - Y22.3
			X73.0 - Y4.7
4010	D 08	09/16	X53.5 - Y18.8
			X71.2 - Y18.8
			X71.2 - Y1.0
			X53.5 - Y1.0
4015	D 41	09/18	X50.9 - Y23.0
			X50.9 - Y05.2
			X68.5 - Y05.2
			X68.5 - Y23.0
4017	D 25	21/39	X61.0 - Y22.5
			X61.0 - Y5.0
			X79.0 - Y5.0
			X79.0 - Y22.5

26 MAY 1965

COPIES RECEIVED 7		
Cy No.	Office	Act.
1	File	
2	OS	
	ADMIN	
	SEC BR	
	P&DS	
	CSD	
	IPD	
	PD	
	PSD	
	PSD-ICB	
3,4	TID	✓
	PID	
	PAG	
	DIAAX-4	
	SPAD	
	NSA-LO	
	DIA-AP	

1

25X1

TOP SECRET

GROUP 1
Excluded from automatic
downgrading and
declassification

25X1

-2-

4008	D 10	10/20	X49.0 - Y02.0 X49.0 - Y20.0 X67.0 - Y02.0 X67.0 - Y20.0
4017	D 10	07/13	X46.0 - Y01.0 X46.0 - Y18.0 X64.0 - Y01.0 X64.0 - Y18.0
4015	D 24	05/09	X55.0 - Y22.0 X55.0 - Y4.0 X73.0 - Y4.0 X73.0 - Y22.0
4017	D 40	15/28	X57.0 - Y23.0 X57.0 - Y5.0 X75.0 - Y5.0 X75.0 - Y23.0
4016	D 10	13/26	X58.3 - Y3.2 X58.3 - Y21.0 X77.0 - Y3.2 X77.0 - Y21.0
4017	D 72	11/20	X54.0 - Y18.8 X54.0 - Y1.0 X71.8 - Y18.8 X71.8 - Y1.0
4016	D 06	8/15	X60.0 - Y9.0

-3-

			X60.0 - Y15.0
			X66.0 - Y9.0
			X66.0 - Y15.0
4017	D 74	1/02	X52.0 - Y1.0
			X52.0 - Y19.0
			X70.0 - Y1.0
			X70.0 - Y19.0
4017	D 72	8/14	X50.0 - Y2.0
			X50.0 - Y20.0
			X67.0 - Y2.0
			X67.0 - Y20.0
4017	D 23	7/22	X43.0 - Y1.6
			X43.0 - Y19.2
			X60.8 - Y1.6
			X60.8 - Y19.2

2. FR/INDEX REFERS TO THE FRAME NUMBER AND THE INDEX NUMBER RECORDED ON THE PHOTOGRAPHY. CORNER COORDINATES ARE BASED UPON THE UNIVERSAL REFERENCE GRID.

3. THIS REQUEST REPRESENTS THE MONTHLY QUOTA FOR MAY PER REF. IT IS SUGGESTED THAT THREE RECTIFICATIONS BE PREPARED AND FORWARDED TO NPIC FOR APPRAISAL PRIOR TO COMPLETING THE ORDER TO INSURE COMPLETE MUTUAL UNDERSTANDING OF GRID USED, EXPOSURE DENSITY DESIRED, ETC.

4. REQUEST RECTIFICATION BE A TRANSPARENCY (PREFERABLY A NEGATIVE) WHICH NPIC UNDERSTANDS WILL ALSO BE AN ENLARGEMENT.

1

-4-

5. REQUEST NPIC BE FURNISHED NAME AND PHONE NUMBER OF PERSON
AT ACIC TO WHOM CABLE REQUESTS SHOULD BE DIRECTED AND PHONE CONTACT
MADE REGARDING RECTIFICATION REQUESTS. NPIC CONTACT IS

25X1
25X1

T O P S E C R E T

25X1

/END OF MESSAGE/

1